



HALTDOS SWIFT TECHSPECS

| Base Models | HD-SFT - 4100 | HD-SFT - 4600 | HD-SFT - 4620 | HD-SFT - 5100 | HD-SFT - 5400 | HD-SFT - 6200 |
|--|--|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|
| MITIGATION PERFORMANCE | | | | | | |
| L4 Throughput | upto 5 Gbps | upto 24 Gbps | upto 30 Gbps | upto 48 Gbps | upto 72 Gbps | upto 120 Gbps |
| L7 Throughput | upto 4 Gbps | upto 20 Gbps | upto 24 Gbps | upto 40 Gbps | upto 60 Gbps | upto 100 Gbps |
| WAF Throughput | upto 4 Gbps | upto 20 Gbps | upto 24 Gbps | upto 40 Gbps | upto 60 Gbps | upto 100 Gbps |
| SSL Throughput | 4 Gbps | 20 Gbps | 24 Gbps | 40 Gbps | 50 Gbps | 100 Gbps |
| Compression Throughput | 4 Gbps | 20 Gbps | 20 Gbps | 24 Gbps | 37 Gbps | 66 Gbps |
| Decompression Throughput | 5 Gbps | 20 Gbps | 24 Gbps | 30 Gbps | 54 Gbps | 120 Gbps |
| SSL/TLS Connections per Second | 22K (RSA 2K) 15K (ECC) | 40K (RSA 2K) 25K (ECC) | 40K (RSA 2K) 25K (ECC) | 40K (RSA 2K) 25K (ECC) | 96K (RSA 2K) 48K (ECC) | 96K (RSA 2K) 48K (ECC) |
| L4 Connection per Second | 480 K | 960 K | 1 M | 1.2 M | 2 M | 4 M |
| L7 Request per Second | 750 K | 3 M | 5 M | 7 M | 10 M | 15 M |
| Max Concurrent Connections | 24 M | 24 M | 30 M | 56 M | 96 M | 160 M |
| Induced Latency | < 1 milli-second | | | | | |
| HARDWARE SPECS | | | | | | |
| Processor | Intel Xeon | Intel Xeon | Intel Xeon | Intel Xeon | Intel Xeon | Intel Xeon |
| CPU Cores | 8 | 20 | 24 | 32 | 40 | 64 |
| Memory | 16 GB | 32 GB | 48 GB | 64 GB | 128 GB | 256 GB |
| Hard Disk | 256 GB SSD | 256 GB SSD | 512 GB SSD | 512 GB SSD | 1 TB SSD | 2 TB SSD |
| Additional Specs | Built-in TPM Chip and Hardware HSM for SSL offloading & compression optimization. Option available for FIPS-140-2 (additional charge) or Non-FIPS compliant HSM | | | | | |
| Form Factor | 1U/2U Rack Mount Server (19 inch mounting) | | | | | |
| Power Supply | Redundant Power Supply (Hot Swappable) AC 170-240V, 50 Hz | | | | | |
| Operating Temperature | 0° – 40° C | | | | | |
| Humidity | 8% - 95% (non-condensing) | | | | | |
| Hardware Virtualization | NA | upto 15 | upto 25 | upto 25 | upto 30 | upto 50 |
| | Hard Disk and Memory can be customized over the base model | | | | | |
| INSPECTION PORTS | | | | | | |
| 1 GE Ports | 8 | 8 | 8 | - | - | - |
| 10 GE Ports | - | 2 | 2 | 4 | 8 | 8 |
| 25 GE Ports | - | - | - | - | - | - |
| 40 GE Ports | - | - | - | 2 | 2 | 4 |
| 100 GE Ports | - | - | - | - | - | - |
| | No. of ports can be customized over the base model | | | | | |
| OUT OF BAND PORTS | | | | | | |
| 1 GE (RJ-45) Ports | 2 | 2 | 2 | 2 | 2 | 2 |
| Console (RS232/RJ45) Ports | 1 | 1 | 1 | 1 | 1 | 1 |
| HA Ports (RJ-45/SFP/SFP+) | 1 | 1 | 1 | 1 | 1 | 1 |
| Input/Output (USB) | 2 | 2 | 2 | 2 | 2 | 2 |
| TECHNOLOGY, CERTIFICATION & SUPPORT | | | | | | |
| Platform | HaltDos Platform – hdPlatform (EAL 2+ Certified) | | | | | |
| Technology | Signature with Threat Intelligence, Machine Learning | | | | | |
| License | Unlimited applications. Bandwidth capping based on configured license. Upgrade possible without hardware replacement upto max supported bandwidth on hardware | | | | | |
| Certification | FCC, ROHS, CE compliant, Common Criteria EAL 2+ | | | | | |
| Support | 24x7 Support with dedicated Account Manager | | | | | |
| Warranty | 1 year software and hardware maintenance. Additional changes for extended warranty | | | | | |
| Training | OEM driven hands-on training | | | | | |
| TAC Support | TAC support in India | | | | | |
| OPERATION MODE | | | | | | |
| Network Operations | Inline Reverse Proxy, Inline Bridge, Inline Router Mode, Inline L2 Transparent, Offline | | | | | |
| Inline Modes | Proxy or Direct Server Return | | | | | |
| Deployment Modes | 1-Arm or n-Arm | | | | | |
| Binding | Immediate or Delayed binding | | | | | |
| IP Stack | Dual IPv4 & IPv6 stack | | | | | |
| HTTP Protocols | HTTP 0.9/1.0/1.1/2.0 with translation (all versions of HTML, XHTML supported) | | | | | |
| Web Socket Support | Yes | | | | | |
| Virtual Matrix Architecture | Yes | | | | | |
| Direct Access Mode | Yes | | | | | |
| Mitigation Modes | Bypass, Record (Report Only), Learning, Mitigation (Block and Report) | | | | | |
| Dynamic Routing Protocols | BGP, OSFP, RIP v1, RIP v2 | | | | | |
| Networking | Support for VLAN, VXLAN, Link Aggregation & Trunking (LACP) | | | | | |
| Block Actions | Drop Request, Terminate Connection or Session, Blacklist (temporary or permanent), Send Challenge (Captcha, JavaScript), Rate Limiting or Tarpit | | | | | |
| HIGH AVAILABILITY | | | | | | |
| Multiple Appliances | N + 1 Active - Active or Active – Passive (VRRP) | | | | | |
| Management Modes | Standalone / Centralized Management (VM or appliance) with HaltDos Hawk | | | | | |
| Secure Communication | Secure communication between centralized management and HA appliances for state synchronization | | | | | |
| INTEGRATION FEATURES | | | | | | |
| Custom Threat Intel | Integration with 3 rd party Threat Intelligence (TI) feeds | | | | | |
| Storage and Export | Local retention of logs, reports and events. Support for export to 3 rd party storage | | | | | |
| NIMS Integration | Support for SNMP, NTP / SNTP, DNS, Web Proxy integration | | | | | |
| Notification Integration | Notification & Logging via SNMP, SMTP, SMS Gateway and 3 rd party integration via API hooks | | | | | |
| SIEM Integration | Support for integration with SIEM and Syslog services | | | | | |
| AAA Integration | Support for integration via RADIUS and TACACS+ | | | | | |
| Identity Management | Inbuilt with support for integration with AD / SAML / LDAP | | | | | |
| Security Tools Integration | Support for integration with SAST/DAST/IAST tools | | | | | |
| Export IOCS | Support for exporting attacking IOCS via STIX / TAXII | | | | | |
| MANAGEMENT FEATURES | | | | | | |
| Graphical User Interface (GUI) | Secure web interface over HTTPS with support for all modern browsers | | | | | |

| | |
|---------------------------------|---|
| Command Line Interface (CLI) | Command Line Interface over SSH or console port |
| API Integration | Yes (XML or JSON) |
| System Management | IPMI 2.0 Compliant |
| Logging | Centralized logging of system, services, MIS, incidents |
| Dashboards | Real-Time & historical dashboards with custom duration. Support for custom dashboards |
| System Status Dashboard | Status dashboard for 1-click health check |
| Reporting | Periodic daily, weekly or monthly reports (predefined or custom) in PDF or Excel |
| RBAC Administration | Configurable user profiles with role based access control |
| Backup | Automatic or manual backup and restore |
| Policy Management | On the fly configuration updates on mitigation appliances |
| Certificate Management | SSL certificate management with support for Let's Encrypt certificate generation |
| Events / Alerts | Detailed event and alert reporting on attack, health, etc. |
| Network Forensic | Network forensic with packet capture and traceroute |
| Attack Forensic | Built-in utilities for investigating attackers, attack payloads and identifying false positives |
| HaltDOS Threat Stream | Periodic threat intel updates (Signatures, Geo IP, Bad IP, TOR IP, Anon Proxy, etc.) from HaltDOS |
| Updates | Update and upgrade management on version releases and patch updates from HaltDOS |
| WAF FEATURES | |
| Comprehensive Security | OWASP Top 10 Web Application Security Risks, OWASP Top 20 Automated Threats and SANS 25 Software Errors |
| Security Profiles | Multiple security profiles with support for different security status per application based on url, source, country, regex, etc. |
| Positive Security Model | Support for Form Rules for positive security model |
| Negative Security Model | Support for user defined Firewall Rules for REGEX based negative security model |
| Virtual Patching | Support for virtual patching through built-in web security scanner or upload of 3 rd party SAST / DAST / IAST scan results |
| Built-in Signatures | Over 4000+ built-in signatures on various technologies, platforms and frameworks with pre-defined templates. |
| 0-day Protection | Automatic learning and profiling application structure. Threat scoring and baseline creation for AI driven 0-day attack protection |
| Malicious Source Protection | Protection against TOR IP, Bad Reputation IP, dark IP, known Bots, proxies, spammers provided by HaltDOS or user defined threat intel |
| Bot Management | Anti-bot protection with AI classification and scoring of bots based on advanced browser fingerprinting |
| Anti-Automation Protection | Protection against known and 0-day bots, account takeover attempts, brute force attempts, scraping, reconnaissance, cloaking, etc |
| Mobile App Protection | Anti-Bot mobile SDK for Android & iOS for protecting mobile apps and communication between apps and web APIs |
| AV Scanning | Built-in AV scanner for malicious file upload. Support for ICAP integration for 3 rd party scanners |
| Minimize False Positives | Support for REGEX based whitelist rules and signature staging and deploy policies to minimize signature based false positives |
| HTTP Validations | Protocol validations, request normalization (encoding & evasion techniques) before inspection, managing security headers and cookies etc. |
| Policy Inspection | Policy validation such as HTTP methods, file extension, request size, etc |
| Blacklist / Whitelist | Support for temporary or permanent Blacklisting and Whitelisting based on IP, IP prefix, url, country, etc |
| Captcha Challenge | Support for JS or captcha challenge on suspicious user activity or known bots or malicious IPs |
| Rate Limiting | Rate Limit rules for implementing request, bandwidth or connection limits per source, IP prefix or user defined policy |
| API & WebSocket Protection | Built-in XML firewall, validation of XML / JSON / Ajax / SOAP / REST API requests and WebSocket requests |
| Security Breach Prevention | Built-in support for data leak prevention, response filtering for sensitive personal identifiable information |
| Tamper Proofing | Tamper rules for URL / parameter tamper protection, website defacement, hidden form field protection, cookie signing and encryption, etc. |
| Correlation Engine | Advanced correlation engine with support for custom correlation rules for detecting attack across user requests and sessions |
| Variables & Scripting | Support for user defined variables and scripts for building custom application specific security policy |
| Deception Technology | Implement decoys in web application to protect against advanced bots, profile attacks and trap attackers |
| Sensitive Data Masking | Support for Log Rules for masking sensitive information such as passwords in logs and events |
| Enforced Browsing | Protection against forceful browsing, access to predictable resources, unauthorized navigation with additional security enforcement with Two factor authentication (2FA) |
| Misc. Protection | Support for protection against buffer overflow attacks, man-in-the-middle attacks, blocking malware payload, buffer overflow, SQL, SSI, LDAP injection, etc |
| Enforce RFC Compliance | Protection against invalid HTTP requests |
| NAT & Routing | Support for client, server or full NAT, static routing for IPv4 & IPv6 |
| SSL/TLS Management | Support for SSL v2/v3, TLS 1.0/1.1/1.2/1.3 offloading (and re-encryption) with custom cipher suites. Client certificate based authentication also supported, proxy SSL/TLS connections |
| Load Balancing | Layer 4 & Layer 7 load balancing (HTTP, TCP, UDP, etc.) |
| Advanced Load Balancing | Content based load balancing with upstream rules |
| Load Balancing Algorithms | Round robin (RR), weighted round robin, minimum misses, persistent hash (IP, Cookie, Header or Argument), tuneable hash, least connections, least response time, least bandwidth, SNMP metrics such as CPU, RAM, etc. |
| Network Optimization | Support for TCP buffering, multiplexing & optimization, connection pools, TCP keep alive & timeouts |
| HTTP Optimization | Support for content compression (gzip or brotli) and caching. Content minification and acceleration for mobile clients |
| Virtual Contexts | Support for multiple virtual contexts along with resource allocation |
| Failover Management | Automatic failover & recovery. Support for marking servers up / down / backup |
| Health Check | Periodic server or server group health check and alerting via TCP, SSL, ICMP, SNMP, HTTP, DNS or custom script |
| Client Visibility | Embedding Real IP information in X-* headers, client cert information, etc |
| Redirection Rules | REGEX based redirection rules to rewrite URLs |
| Variable Rules | Support for embedding and using variables for A/B testing or custom load balancing |
| Script Rules | Embedding user defined custom code for advanced routing |
| Error Handling | Error rules for custom error handling |
| Content Transformation | Transformation rules for data manipulation and Header rules for add / edit or delete headers in request or response |
| Fingerprinting & Authentication | Advanced user and device fingerprinting (Browser, OS related features) for user profiling and device authentication |
| Performance Monitoring | Real User Metrics (RUM) for performance monitoring |
| L3 - L7 DDoS Protection | Protection against volumetric and low & slow DDoS attacks |
| Compliance | Enforces PCI DSS 2.0 section 6.6 and industry / regulatory standard security practices |
| API Security | Built-in API gateway for authentication, rate limiting, transformation, documentation and discovery |

Version: v7.2

© COPYRIGHT 2023. All rights reserved. HaltDOS products mentioned in this document are protected by trademark and patents (granted or in review).

We disclaim in full any covenants, representations, and guarantees pursuant hereto, whether expressed or implied. It reserves the right to change, modify, transfer or otherwise revise this publication without notice and the most current version of the publication shall be applicable.